



GT OFF-ROAD WHEELS

TOMAHAWK

DIRECTIONAL SPLIT-SPOKE · DEEP LIP

The Tomahawk's directional split straight-spoke layout adds a sense of motion even when the truck is parked.

DIAMETERS	WIDTHS	OFFSET RANGE	LUG OPTIONS
20" · 22" · 24"	9" · 10" · 12" · 14"	+12 to -76 mm	5 / 6 / 8-lug
CENTER BORE	MAX LOAD	FINISHES	PART NUMBERS
78.1-125.2 mm	Up to 3,200 lbs	3	72

SIZES & FITMENT

SIZE	DIA.	WIDTH	OFFSET (MM)	BACKSPACING*	STANCE
20×9	20"	9"	+12	5.47"	Mostly flush
20×10	20"	10"	-18	4.79"	Mild poke
22×10	22"	10"	-18	4.79"	Mild poke
22×12	22"	12"	-44	4.77"	Aggressive poke
24×12	24"	12"	-44	4.77"	Aggressive poke
24×14	24"	14"	-76	4.51"	Extreme poke

*Approximate, calculated from width and offset. Actual stance depends on your truck's factory offset, lift and tire size.

BOLT PATTERNS

5×127

5 × 5"

5×139.7

5 × 5.5"

6×135

6 × 135 mm

6×139.7

6 × 5.5"

8×165.1

8 × 6.5"

8×170

8 × 170 mm

8×180

8 × 180 mm

Availability varies by size. Confirm fitment with GT Off-Road or your dealer.

FEATURES

- Directional split straight-spoke design
- Deep lip
- Exposed lug holes
- GT center cap

FINISHES



GLOSS BLACK MILLED



GLOSS BLACK



CHROME



COMPLETE SPEC SHEET

TOMAHAWK PART NUMBERS

72 SKUs by finish, size, offset and bolt pattern. Patterns shown with a slash are dual-drilled.

PART NUMBER	SIZE	OFFSET (MM)	BOLT PATTERN	CENTER BORE (MM)	MAX LOAD (LBS)	FINISH
GLOSS BLACK MILLED 24 PART NUMBERS						
GT11220951121	20×9	+12	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT11220961122	20×9	+12	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT11220981123	20×9	+12	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT11220982123	20×9	+12	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GT112201051121	20×10	-18	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT112201061122	20×10	-18	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT112201081123	20×10	-18	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT112201082123	20×10	-18	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GT112221051121	22×10	-18	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT112221061122	22×10	-18	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT112221081123	22×10	-18	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT112221082123	22×10	-18	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GT112221251121	22×12	-44	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT112221261122	22×12	-44	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT112221281123	22×12	-44	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT112221282123	22×12	-44	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GT112241251121	24×12	-44	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT112241261122	24×12	-44	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT112241281123	24×12	-44	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT112241282123	24×12	-44	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GT112241451121	24×14	-76	5×127 / 5×139.7	78.1	2,500	Gloss Black Milled
GT112241461122	24×14	-76	6×135 / 6×139.7	106.1	2,500	Gloss Black Milled
GT112241481123	24×14	-76	8×165.1 / 8×170	125.2	3,200	Gloss Black Milled
GT112241482123	24×14	-76	8×165.1 / 8×180	125.2	3,200	Gloss Black Milled
GLOSS BLACK 24 PART NUMBERS						
GT11320951121	20×9	+12	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT11320961122	20×9	+12	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT11320981123	20×9	+12	8×165.1 / 8×170	125.2	3,200	Gloss Black
GT11320982123	20×9	+12	8×165.1 / 8×180	125.2	3,200	Gloss Black
GT113201051121	20×10	-18	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT113201061122	20×10	-18	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT113201081123	20×10	-18	8×165.1 / 8×170	125.2	3,200	Gloss Black
GT113201082123	20×10	-18	8×165.1 / 8×180	125.2	3,200	Gloss Black
GT113221051121	22×10	-18	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT113221061122	22×10	-18	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT113221081123	22×10	-18	8×165.1 / 8×170	125.2	3,200	Gloss Black
GT113221082123	22×10	-18	8×165.1 / 8×180	125.2	3,200	Gloss Black
GT113221251121	22×12	-44	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT113221261122	22×12	-44	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT113221281123	22×12	-44	8×165.1 / 8×170	125.2	3,200	Gloss Black
GT113221282123	22×12	-44	8×165.1 / 8×180	125.2	3,200	Gloss Black
GT113241251121	24×12	-44	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT113241261122	24×12	-44	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT113241281123	24×12	-44	8×165.1 / 8×170	125.2	3,200	Gloss Black



COMPLETE SPEC SHEET

TOMAHAWK PART NUMBERS

Continued

PART NUMBER	SIZE	OFFSET (MM)	BOLT PATTERN	CENTER BORE (MM)	MAX LOAD (LBS)	FINISH
● GLOSS BLACK CONTINUED						
GT113241282123	24×12	-44	8×165.1 / 8×180	125.2	3,200	Gloss Black
GT113241451121	24×14	-76	5×127 / 5×139.7	78.1	2,500	Gloss Black
GT113241461122	24×14	-76	6×135 / 6×139.7	106.1	2,500	Gloss Black
GT113241481123	24×14	-76	8×165.1 / 8×170	125.2	3,200	Gloss Black
GT113241482123	24×14	-76	8×165.1 / 8×180	125.2	3,200	Gloss Black
● CHROME 24 PART NUMBERS						
GT11720951121	20×9	+12	5×127 / 5×139.7	78.1	2,500	Chrome
GT11720961122	20×9	+12	6×135 / 6×139.7	106.1	2,500	Chrome
GT11720981123	20×9	+12	8×165.1 / 8×170	125.2	3,200	Chrome
GT11720982123	20×9	+12	8×165.1 / 8×180	125.2	3,200	Chrome
GT117201051121	20×10	-18	5×127 / 5×139.7	78.1	2,500	Chrome
GT117201061122	20×10	-18	6×135 / 6×139.7	106.1	2,500	Chrome
GT117201081123	20×10	-18	8×165.1 / 8×170	125.2	3,200	Chrome
GT117201082123	20×10	-18	8×165.1 / 8×180	125.2	3,200	Chrome
GT117221051121	22×10	-18	5×127 / 5×139.7	78.1	2,500	Chrome
GT117221061122	22×10	-18	6×135 / 6×139.7	106.1	2,500	Chrome
GT117221081123	22×10	-18	8×165.1 / 8×170	125.2	3,200	Chrome
GT117221082123	22×10	-18	8×165.1 / 8×180	125.2	3,200	Chrome
GT117221251121	22×12	-44	5×127 / 5×139.7	78.1	2,500	Chrome
GT117221261122	22×12	-44	6×135 / 6×139.7	106.1	2,500	Chrome
GT117221281123	22×12	-44	8×165.1 / 8×170	125.2	3,200	Chrome
GT117221282123	22×12	-44	8×165.1 / 8×180	125.2	3,200	Chrome
GT117241251121	24×12	-44	5×127 / 5×139.7	78.1	2,500	Chrome
GT117241261122	24×12	-44	6×135 / 6×139.7	106.1	2,500	Chrome
GT117241281123	24×12	-44	8×165.1 / 8×170	125.2	3,200	Chrome
GT117241282123	24×12	-44	8×165.1 / 8×180	125.2	3,200	Chrome
GT117241451121	24×14	-76	5×127 / 5×139.7	78.1	2,500	Chrome
GT117241461122	24×14	-76	6×135 / 6×139.7	106.1	2,500	Chrome
GT117241481123	24×14	-76	8×165.1 / 8×170	125.2	3,200	Chrome
GT117241482123	24×14	-76	8×165.1 / 8×180	125.2	3,200	Chrome